GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

PS – PR and RD Department – Allegations of irregularities in execution of sub-standard works in Palakonda Mandal of Srikakulam district under MGNREGS Scheme – Disciplinary proceedings initiated against Sri O.Achutaram, the then DEE, PRI, Palakonda and (5) others – WSDs submitted –Appointment of Inquiry Authority and Presenting Officer under sub-rule (2) and (5) of Rule 20 of APCS (CC&A) Rules, 1991- Orders – Issued.

- - - -

charge against the said Government Servants before the Inquiry Authority on behalf of the Government under Rule 20(5) (c) of Andhra Pradesh Civil Services (classification, control and appeal) Rules, 1991.

6. The Presenting Officer shall acquaint himself with the facts of the case and present the case before the Inquiry Authority effectively. He is also requested to obtain and produce documents if any required by the Inquiry Authority during the course of enquiry without referring the matter to the Government.

7. The Inquiry Authority is requested to conduct Inquiry strictly in terms of rule 20 of Andhra Pradesh Civil Services (classification, control and appeal) Rules, 1991 and submit report as required under (18)(ii) of the above said Rules. Copy of Charge Memoranda issued to the Charged Officers and their written statements of defence are herewith furnished to the Inquiry Authority as required under rule 20 (7) of Andhra Pradesh Civil Services (classification, control and appeal) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr.K.S.JAWAHAR REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR&RD)

To
Sri K.Ravindra, Chief Engineer, Panchayat Raj (E.O.) (w.e.).
Sri A.Mohana Murali, Superintending Engineer, Panchayat Raj, Srikakulam District (PO)(w.e.).
The Individuals through Engineer in Chief, Panchayat Raj, Vijayawada.
The Engineer in Chief, Panchayat Raj, Andhra Pradesh, Vijayawada.
SF/SC.

//FORWARDED::BY::ORDER//

SECTION OFFICER